

Exercise sheet 4, 20 April 2023

1. The binary Hamming code $\mathcal{H}_4(2)$ has parity check matrix

$$H = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 \\ 0 & 0 & 0 & 1 & 1 & 1 & 1 & 0 & 0 & 0 & 0 & 1 & 1 & 1 & 1 \\ 0 & 1 & 1 & 0 & 0 & 1 & 1 & 0 & 0 & 1 & 1 & 0 & 0 & 1 & 1 \\ 1 & 0 & 1 & 0 & 1 & 0 & 1 & 0 & 1 & 0 & 1 & 0 & 1 & 0 & 1 \end{pmatrix}$$

and parameters $[n, k, d] = [15, 11, 3]$.

Correct the word $(0, 1, 1, 0, 0, 1, 1, 0, 0, 0, 1, 1, 0, 1, 1)$.

2. State the parameters, or bounds on the parameters, length, dimension, minimum distance of a Goppa code of length $q = n = 2^{15}$ using an irreducible polynomial of degree $t = 40$.
3. This exercise is about attacks on code-based cryptography. Let G be the generator matrix of an $[n, k, d]$ code with $d = 2t + 1$. In the basic schoolbook-version of McEliece encryption, a message $m \in \mathbb{F}_2^k$ is encrypted by computing $y = mG + e$, where $e \in \mathbb{F}_2^n$ is randomly chosen of weight t .

Alice and Bob use this method to send m but Eve intercepts $y_1 = mG + e_1$ and stops the transmission. After a while, Alice resends an encryption of m , using a different error vector e_2 , so $y_2 = mG + e_2$, where both e_i have weight t .

- (a) Compute the average weight of $e_1 + e_2$, where $+$ denotes addition in \mathbb{F}_2^n , and the average weight of $e_1 \cdot e_2$, where \cdot denotes componentwise multiplication in \mathbb{F}_2^n .

- (b) Show how Eve can recover the message m .

Hint 1: Eve's task should be stated as a decoding problem of a code of length less than n .

Hint 2: First solve the problem assuming that e_1 and e_2 have no overlap in their non-zero positions.

Hint 3: Figure out how to retrieve m from y_1 if you know $k(1+\epsilon)$ positions that are error free, for some positive ϵ .

4. Let K be the public parity-check matrix of a code of length n , dimension k , and minimum distance $d = 2t + 1$. The school-book version of the

Niederreiter system encrypts a message $m \in \mathbb{F}_2^n$ of Hamming weight t by computing the syndrome $s = K \cdot m$.

You are given access to a decryption oracle. In the following two situations, show how to recover m and compute how many calls to the oracle are required.

- (a) The oracle decrypts any ciphertext $s' \neq s$ provided that $s' = K \cdot m'$ with m' of Hamming weight less than or equal to t .
- (b) The oracle decrypts any ciphertext $s' \neq s$ provided that $s' = K \cdot m'$ with m' of Hamming weight exactly equal to t .

5. RaCoSS is a signature system submitted to NIST's post-quantum competition. The system is specified via two parameters n and $k < n$ and the general system setup publishes an $(n - k) \times n$ matrix H over \mathbb{F}_2 .

Alice picks an $n \times n$ matrix over \mathbb{F}_2 in which most entries are zero. This matrix S is her secret key. Her public key is $T = H \cdot S$.

RaCoSS uses a special hash function h which maps to very sparse strings of length n , where very sparse means just 3 non-zero entries for the suggested parameters of $n = 2400$ and $k = 2060$. You may assume that h reaches all possible bitstrings with exactly 3 entries and that they are attained roughly equally often.

To sign a message m , Alice first picks a vector $y \in \mathbb{F}_2^n$ which has most of its values equal to zero. Then she computes $v = Hy$. She uses the special hash function to hash v and m to a very sparse $c \in \mathbb{F}_2^n$. Finally she computes $z = Sc + y$ and outputs (z, c) as signature on m .

To verify (z, c) on m under public key T , Bob does the following. He checks that z does not have too many nonzero entries. The threshold here is chosen so that properly computed $z = Sc + y$ pass this test. For numerical values see below. Then Bob computes $v_1 = Hz, v_2 = Tc$ and puts $v' = v_1 + v_2$. He accepts the signature if the hash of v' and m produces the c in the signature.

- (a) Verify that $v' = v$, i.e. that properly formed signatures pass verification. As above, you should assume that the other test on z succeeds.

Note: All computations take place over \mathbb{F}_2 .

- (b) The concrete parameters in the NIST submission specify that $n = 2400$, and that the output of h has exactly 3 entries equal to 1 and the remaining 2397 entries equal to 0.

Compute the size of the image of h , i.e., the number of bitstrings of length n that can be reached by h .

- (c) Based on your result under b) compute the costs of finding collisions and the costs of finding a second preimage.
- (d) For the proposed parameters the threshold for the number of nonzero entries in z is larger than 1000.

Break the scheme without using any properties of the hash function, i.e. find a way to compute a valid signature (z, c) for any message m and public key T . You have access to the matrix H and can call h .

Hint: You can construct a vector z of weight no larger than $n - k$ that passes all the tests.